



आयुक्त का कार्यालय,
Office of the Commissioner,
केंद्रीय जीएसटी, अहमदाबाद अपील आयुक्तालय
Central GST, Appeal Commissionerate- Ahmedabad
जीएसटी भवन, राजस्व मार्ग, अम्बावाडी अहमदाबाद ३८००१५.
CGST Bhavan, Revenue Marg, Ambawadi, Ahmedabad 380015
☎ 26305065 टेलीफैक्स 26307521



F.No.GAPPL/COMCEXP/48/2022-2023 / 1392


Subject: Corrigendum to Order-In-Appeal No. AHM/EXCUS-002-APP-55/2023-24 dated 21.07.2023

In the aforementioned O-I-A, passed in the matter of appeal filed by M/s: Shakti Polyweave Pvt Ltd., Unit-III (against Order-in-Original no. 15/AC/DEM/NA /2022-23, dated 31.10.2022 issued by the Assistant Commissioner, CGST, Division-V, Ahemadabad North), following lines at para 7.3;


"These inputs were used by their DTA unit for production of un-laminated fabrics."

may be read as ;

"These inputs were used by the appellant unit for production of un-laminated fabrics."


(शिव प्रताप सिंह)
आयुक्त (अपील्स)

Date: .2023.



By RPAD/SPEED POST

To,

M/s. Shakti Polyweave Pvt. Ltd.-Unit-III (100% EOU)
Survey No. 769 & 770, Simej Ruppadh Road,
Opposite, 66 KVA Sub-Station, Simej, Dholka,
Ahmedabad-382220

- Appellant

The Assistant Commissioner,
CGST, Division-V, Ahmedabad North
Ahmedabad

- Respondent

Copy to:

1. The Principal Chief Commissioner, Central GST, Ahmedabad Zone.
2. The Commissioner, CGST, Ahmedabad North.
- ✓ 3. The Assistant Commissioner (H.Q. System), CGST, Ahmedabad North.
(For uploading the OIA)
4. Guard File.